



ISOSTATIC BEARING SALES COMPANT



7.48 Inch | 190 Millimeter x 12.598 Inch | 320 Millimeter x 4.094 Inch | 104 Millimeter SKF 23138 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23138 CCK/C4W33

23138 CCK/C4W33 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|---|
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 35.332 |
| EAN | 7316571056906 |
| Product Group | B04311 |
| Internal Clearance | C4-Extra Loose |
| Mounting Method | Adapter Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Tapered |
| Cage Material | Steel |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | AH3138 (Specify bore) |
| Withdrawal Nut | HM42T |
| Inch - Metric | Metric |
| Long Description | 190MM Tapered Bore; 320MM Outside Diameter; 104MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter |



ISOSTATIC BEARING SALES COMPANT

| | |
|------------------------------|--|
| Other Features | Order adapter or withdrawal sleeve or nut separately. Others may be available |
| Category | Spherical Roller Bearing |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.skf.com |
| Weight / LBS | 77.823 |
| d | 7.48 Inch 190 Millimeter |
| B | 4.094 Inch 104 Millimeter |
| Adapter Part Number | SNW3138 H3138 HA3138 HE3138 (Specify bore) Inch H3138 (Specify bore) Millimeter |
| D | 12.598 Inch 320 Millimeter |
| bore diameter: | 190 mm |
| maximum rpm: | 2000 RPM |
| outside diameter: | 320 mm |
| operating temperature range: | Maximum of +390 ° F |
| overall width: | 104 mm |
| cage material: | Steel |
| bore type: | Tapered 1:12 |
| bearing material: | Steel |
| outer ring type: | Not Split |
| cage type: | Inner Ring Guided |
| internal clearance: | C4 |
| precision rating: | Not Rated |
| closure type: | Open |
| finish/coating: | Uncoated |
| lubrication hole type: | Lubrication Groove & Hole |
| | |



ISOSTATIC BEARING SALES COMPANT

| | |
|------------------------|---------|
| outer ring width: | 104 mm |
| dynamic load capacity: | 1370 kN |
| fillet radius: | 2.5 mm |
| static load capacity: | 2080 kN |
| series: | 231 |